



10/764105-

c of c

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patentee: Cong Thanh Dinh

Patent No.: US 7,151,218 B2

Issued: December 19, 2006

Docket: 577-614

For: ELECTRICAL
TERMINATION
COMPONENT BRACKET

Dated: January 15, 2008

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

*I hereby certify this correspondence is being deposited with
the United States Postal Service as first class mail, postpaid
in an envelope, addressed to:*

Commissioner for Patents, P.O. Box 1450,
Alexandria, Virginia 22313-1450

On: January 15, 2008

Signed: *MJ Mullin / M J Mullin*

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT

FOR APPLICANT'S MISTAKE UNDER 37 C.F.R. §1.323 AND PTO MISTAKE

UNDER 37 C.F.R. §1.322(a)

Sir:

Patentee respectfully requests correction of the mistakes in the above-referenced U.S.

Patent No. US 7,151,218 B2. In particular:

At column 2, line 28, the printed patent reads "FIGS. 1 and 2 are a top perspective views
..."; the patent should read instead as --FIGS. 1 and 2 are top perspective views....--.

RECEIVED-USPTO
Patent Publication

JAN 18 2008

Certificate
JAN 18 2008
of Correction

Patentee: Cong Thanh Dinh
Patent No.: US 7,151,218 B2
Issue Date: December 19, 2006
Docket No.: 577-614
Page 2

At column 3, line 62, the printed patent reads "... wall 24 of box."; the patent should read instead as --...wall 24 of box 20.--.

At column 4, line 63 (Claim 2), the printed patent reads "...second distance are approximately equal ..."; the patent should read instead as --...second distances are approximately equal...--.

At column 4, line 63 (Claim 2), the printed patent reads "...equal distance of..."; the patent should read instead as --...equal distance to...--.

At column 4, line 64 (Claim 2), the patent reads "...thickness of wall board."; the patent should read instead as --...thicknesses of wall board.--.

At column 4, line 65 (Claim 3), the patent reads "...an electrical junction box ..."; the patent should read instead as --...an electrical outlet box ...--.

At column 5, line 7 (Claim 3), the patent reads "...said first boundary extending wall ..."; the patent should read instead as --...said first extending boundary wall ...--.

RECEIVED-USPTO
Patent Publication

JAN 18 2008

Patentee: Cong Thanh Dinh
Patent No.: US 7,151,218 B2
Issue Date: December 19, 2006
Docket No.: 577-614
Page 3

At column 6, line 6 (Claim 6), the patent reads "...from said flange a ..."; the patent should read instead as --...from said flange in a ...--.

At column 6, line 9 (Claim 6), the patent reads "...and first distance being ..."; the patent should read instead as --...said first distance being ...--.

At column 6, line 15 (Claim 6), the patent reads "...first or second extending wall extends"; the patent should read instead as --...first or second extending walls extends...--.

At column 6, line 18 (Claim 7), the patent reads "...when said order of ..."; the patent should read instead as --...when said other of ...--.

In Figure 1, previously omitted elements 21, 23, 37, and 39 have been added.

In Figure 2, previously omitted elements 21, 23, 37, and 39 have been added.

In Figure 4, previously omitted elements 37, 39, 50, and 52 have been added. Also, element "42" was replaced with element --40-- and element "40" was replaced with element --42--.

RECEIVED-USPTO
Patent Publication

JAN 18 2008

Patentee: Cong Thanh Dinh
Patent No.: US 7,151,218 B2
Issue Date: December 19, 2006
Docket No.: 577-614
Page 4

In Figure 5, previously omitted element 14 was added.

In Figure 6, previously omitted element 14 was added. Also, element "34" was replaced with element --36--.

Please insert corrections as shown on Figures 1, 2, 4, 5, and 6 (in red) attached hereto. Attached herewith are copies of the formal Replacement Sheets 1/5, 3/5, 4/5, and 5/5.

It is noted that the above errors that appear in this patent are typographical and are of minor character. The errors occurred in good faith, and correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. Therefore, a Certificate of Correction is requested.

Attached herewith in duplicate form please find fully completed Form PTO-1050 with at least one copy being suitable for printing. Please charge Deposit Account No. 20-0776 in the amount of \$100.00. The Commissioner is hereby authorized to charge payment of any additional fees associated with this communication, or credit any overpayment, to Deposit Account No. 20-0776.

RECEIVED-USPTO
Patent Publication

JAN 18 2008


Patentee: Cong Thanh Dinh
Patent No.: US 7,151,218 B2
Issue Date: December 19, 2006
Docket No.: 577-614
Page 5

Please forward the Certificate of Correction to:

Salvatore J. Abbruzzese, Esq.
Hoffmann & Baron, LLP
6900 Jericho Turnpike
Syosset, New York 11791

Should the Examiner have any questions regarding this response or wish to discuss this matter in further detail, please contact the undersigned attorney at the telephone number set forth below.

Respectfully submitted,



Salvatore J. Abbruzzese
Registration No.: 30,152
Attorney for Applicant(s)

HOFFMANN & BARON, LLP
6900 Jericho Turnpike
Syosset, New York 11791
(973) 331-1700

RECEIVED-USPTO
Patent Publication

JAN 18 2008

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,151,218
DATED : December 19, 2006
INVENTOR(S) : Cong Thanh Dinh

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

At column 2, line 28, the printed patent incorrectly reads "FIGS. 1 and 2 are a top perspective views ..."; the patent should read --FIGS. 1 and 2 are top perspective views...--.

At column 3, line 62, the printed patent incorrectly reads "... wall 24 of box."; the patent should read --...wall 24 of box 20.--.

At column 4, line 63 (Claim 2), the printed patent incorrectly reads "...second distance are approximately equal ..."; the patent should read --...second distances are approximately equal...--.

At column 4, line 63 (Claim 2), the printed patent incorrectly reads "...equal distance of..."; the patent should read --...equal distance to...--.

At column 4, line 64 (Claim 2), the patent incorrectly reads "...thickness of wall board."; the patent should read --...thicknesses of wall board.--.

At column 4, line 65 (Claim 3), the patent incorrectly reads "...an electrical junction box ..."; the patent should read --...an electrical outlet box ...--.

At column 5, line 7 (Claim 3), the patent incorrectly reads "...said first boundary extending wall ..."; the patent should read --...said first extending boundary wall ...--.

At column 6, line 6 (Claim 6), the patent incorrectly reads "...from said flange a ..."; the patent should read --...from said flange in a ...--.

At column 6, line 9 (Claim 6), the patent incorrectly reads "...and first distance being ..."; the patent should read --...said first distance being ...--.

MAILING ADDRESS OF SENDER:

Salvatore J. Abbruzzese, Esq. (577-614)
Hoffmann & Baron, LLP
6900 Jericho Boulevard
Syosset, New York 11791

PATENT NO. 7,151,218

RECEIVED-USPTO
Patent Publication

JAN 18 2008

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,151,218
DATED : December 19, 2006
INVENTOR(S) : Cong Thanh Dinh

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

At column 6, line 15 (Claim 6), the patent incorrectly reads "...first or second extending wall extends"; the patent should read --...first or second extending walls extends--.

At column 6, line 18 (Claim 7), the patent incorrectly reads "...when said order of ..."; the patent should read --...when said other of ...--.

In Figure 1, previously omitted elements 21, 23, 37, and 39 have been added.

In Figure 2, previously omitted elements 21, 23, 37, and 39 have been added.

In Figure 4, previously omitted elements 37, 39, 50, and 52 have been added. Also, element "42" was replaced with element --40-- and element "40" was replaced with element --42--.

In Figure 5, previously omitted element 14 was added.

In Figure 6, previously omitted element 14 was added. Also, element "34" was replaced with element --36--.

MAILING ADDRESS OF SENDER:

Salvatore J. Abbruzzese, Esq. (577-614)
Hoffmann & Baron, LLP
6900 Jericho Boulevard
Syosset, New York 11791

PATENT NO. 7,151,218

RECEIVED-USPTO
Patent Publication

JAN 18 2008

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,151,218
DATED : December 19, 2006
INVENTOR(S) : Cong Thanh Dinh

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

At column 2, line 28, the printed patent incorrectly reads "FIGS. 1 and 2 are a top perspective views ..."; the patent should read --FIGS. 1 and 2 are top perspective views...--.

At column 3, line 62, the printed patent incorrectly reads "... wall 24 of box."; the patent should read --...wall 24 of box 20.--.

At column 4, line 63 (Claim 2), the printed patent incorrectly reads "...second distance are approximately equal ..."; the patent should read --...second distances are approximately equal...--.

At column 4, line 63 (Claim 2), the printed patent incorrectly reads "...equal distance of..."; the patent should read --...equal distance to...--.

At column 4, line 64 (Claim 2), the patent incorrectly reads "...thickness of wall board."; the patent should read --...thicknesses of wall board.--.

At column 4, line 65 (Claim 3), the patent incorrectly reads "...an electrical junction box ..."; the patent should read --...an electrical outlet box ...--.

At column 5, line 7 (Claim 3), the patent incorrectly reads "...said first boundary extending wall ..."; the patent should read --...said first extending boundary wall ...--.

At column 6, line 6 (Claim 6), the patent incorrectly reads "...from said flange a ..."; the patent should read --...from said flange in a ...--.

At column 6, line 9 (Claim 6), the patent incorrectly reads "...and first distance being ..."; the patent should read --...said first distance being ...--.

MAILING ADDRESS OF SENDER:

Salvatore J. Abbruzzese, Esq. (577-614)
Hoffmann & Baron, LLP
6900 Jericho Boulevard
Syosset, New York 11791

PATENT NO. 7,151,218

RECEIVED-USPTO
Patent Publication

JAN 18 2008

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,151,218
DATED : December 19, 2006
INVENTOR(S) : Cong Thanh Dinh

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

At column 6, line 15 (Claim 6), the patent incorrectly reads "...first or second extending wall extends"; the patent should read --...first or second extending walls extends--.

At column 6, line 18 (Claim 7), the patent incorrectly reads "...when said order of ..."; the patent should read --...when said other of ...--.

In Figure 1, previously omitted elements 21, 23, 37, and 39 have been added.

In Figure 2, previously omitted elements 21, 23, 37, and 39 have been added.

In Figure 4, previously omitted elements 37, 39, 50, and 52 have been added. Also, element "42" was replaced with element --40-- and element "40" was replaced with element --42--.

In Figure 5, previously omitted element 14 was added.

In Figure 6, previously omitted element 14 was added. Also, element "34" was replaced with element --36--.

MAILING ADDRESS OF SENDER:

Salvatore J. Abbruzzese, Esq. (577-614)
Hoffmann & Baron, LLP
6900 Jericho Boulevard
Syosset, New York 11791

PATENT NO. 7,151,218

RECEIVED-USPTO
Patent Publication

JAN 18 2008



1/5




FIG. 2





FIG. 1

RECEIVED-USPTO
 Patent Publication

JAN 18 2008

3/5



RECEIVED-UNITED STATES
PATENT AND TRADEMARK OFFICE

JAN 18 2008

4/5




FIG. 5

RECEIVED-USPTO
Patent Publication

JAN 18 2008

5/5




FIG. 6

RECEIVED-USPTO
FROM PUBLICATION

JAN 18 2008